

# ORDER FORM COVERSHEET

1208 Houston Clinton Dr., Burnet, Texas 78611 (512) 715-0808 | Toll-Free: (833) 715-0810 | Fax: (512) 715-0811

### ORDERS@GIBRALTARGLOBAL.COM

#### ALL ORDERS MUST HAVE A COMPLETED COVER SHEET TO PROCESS WITHOUT ANY DELAYS

\*\*PLEASE ALLOW 3-5 BUSINESS DAYS TO PROCESS ORDERS PLUS SHIPPING/TRANSIT TIME \*\*

DATE:				PLEASE CHECK ALL APPILICABLE BOXES	QUOTE NEEDED FOR:	MATERIALS	FREIGHT		
COMPANY NAME:									
CONTACT NAME:									
PHONE NUMBER:									
FAX NUMBER:									
EMAIL:									
* PLEASE INCLUDE YO	UR EMAIL	ADDRESS SO WE CAN S	SEND YOU AN ORDER CONFI	RMATION FOR APPROVAL P	RIOR TO SHIPPING (BE SURE YOU	R EMAIL ADDRESS IS LEG	IBLE)		
PO NUMBER:		COUNTY & STATE:							
				<u></u>					
SHIPPING ADDRESS:		BILLING ADDRE	SS:						
SHIPPING CONTACT:				RECEIVING HOL	IRS:				
SHIPPING PHONE:				RECEIVING HOL					
*** PLEASE LIST AN **PLEASE NOTE THAT IF ANY PERTINE				SULT IN A REDELIVERY CHA	ED, LIMITED ACCESS, RESIDENTIA RGE OR FEE THAT WILL BE BILLED		CTLY OR VIA		
Notes:									
500 01150	TIONS 0			N. (ANCEN AT /542) 745	COOO HANCEN CIDDALTA	20102110011			

FOR QUESTIONS REGARDING ORDERS PLEASE CONTACT JOHN JANSEN AT (512) 715-0808. JJANSEN@GIBRALTARGLOBAL.COM

FOR TECHNICAL QUESTIONS CONTACT INFO@GIBRALTARGLOBAL.COM

\*\*PRICES DO NOT INCLUDE SHIPPING & HANDLING CHARGES \*\*



#### TO ORDER REPLACEMENT PARTS, CONTACT:

Gibraltar Global LLC 1208 Houston Clinton DR Burnet, TX 78611

 Toll Free: (833) 715-0810
 Office:(512) 715-0808

 Email: ORDERS@gibraltarglobal.com
 Fax: (512) 715-0811

## **SYSTEM TYPE: MASH 16**

PART#	ITEM / DESCRIPTION	PRICE	UNIT	QUANTITY	EXTENDED AMT
4-HPIN-ALUM	TL-4 3 Aluminum Cable Hairpin	\$	EA		
4-LOCK	TL-4 Cable Lockplate	\$	EA		
U-LOCK	U-Bolt Lockplate Assembly (Consists of Lockplate and 4 U-blts)	\$	SET		
4-LNP-S	TL-4 Line Post / Socketed (57")	\$	EA		
4-LNP-D	TL-4 Line Post / Driven (84")	\$	EA		
AP-MASH-4	MASH Anchor Post - 4 Cable	\$	EA		
SOCK-S	30" Socket 4" x 3" -15" long W/ (4) 16" bars	\$	EA		
SOCK-P	4x3x15" Plastic Socket	\$	EA		
TUBE-PL	15" Tube Socket 4" x 3" with welded plate	\$	EA		
TUBE-D	42" Driven Socket 4" x 3" with Post Stop at 15"	\$	EA		
CRP-MASH-4CBL	Cable Release Post -4 Cable MASH	\$	EA		
TKW	Terminal Keeper Wire (12-Ga.x 12" long)	\$	EA		
TP1-4	Terminal Post No.1/ Weak 48" (4-Hole)	\$	EA		
TP4-4	Terminal Post No.4/ Standard 57" (3-Hole)	\$	EA		
J-BLT	J-Bolt (3/4")	\$	EA		
ATF-1"	Anchor Terminal Fitting (1") Includes Turnbuckle	\$	EA		
ATF-End 1"	Anchor Terminal Fitting End 1 18" x 1" Rod and Acorn	\$	EA		
CSTB-1"	Cable Splice Turnbuckle (1") Open Body	\$	EA		
TORP	"Torpedo" Splice	\$	EA		
ACORN	Acorn	\$	EA		
WEDGE	Wedge For Acorn	\$	EA		
DLN	Delineator / Reflective Object Marker - Specify Yellow or White	\$	EA		
CBL-PRE	Pre-stretched Cable (3/4" Guardrail Cable) *[See Note 1]	\$	LF		
EXCL-CAP	Excluder Cap - Post Base	\$	EA		
CAP	Post Cap Sleeve - Post Top	\$	EA		
T-MTR	Tension Meter with Case *[ See Note 2]	\$	EA		
TRAINING	Installation and Repair Training *[ See Note 3]	CALL FOR DETAILS			TAILS
NOTE-1	Cable sold as a complete 2000' spool only (unless remnant pieces are available)	PARTS TOTAL			
NOTE-2	Gibraltar Global recommends that the tension of the cables be checked after every repair	SHIPPING & HANDLING			
NOTE-3	We recommend that ALL contractors installing or repairing our systems be trained and certified by Gibraltar Global * Please call for more information		C	RDER TOTAL	

REV 2/2023 PARTS ORDER FORM MASH 16



#### TO ORDER REPLACEMENT PARTS, CONTACT:

Gibraltar Global LLC 1208 Houston Clinton DR Burnet, TX 78611

Toll Free: (833) 715-0810 Office: (512) 715-0808 Email: ORDERS@gibraltarglobal.com Fax: (512) 715-0811

#### SYSTEM TYPE: MISC PARTS

PART#	ITEM / DESCRIPTION	PRICE	UNIT	QUANTITY	EXTENDED AMT	
FITTINGS						
ATF 3/4" Nut	NUT- 3/4" HDG	\$	EA			
ATF 3/4" Rod	3/4" x18" RH/RH Thread Rod	\$	EA			
ATF-WSH -7/8"	7/8" Washer FITS ATF-3/4" and ATF-7/8"	\$	EA			
ATF-1" Nut	1" Hex Nut for Threaded Rod	\$	EA			
ATF-1" Nut MILLED	1 Inch Hvy Hex Nut Milled for 3/4" AP	\$	EA			
ATF-1" ROD MILLED	1" x 18" RH/LH Thread Rod MILLED TO 3/4"	\$	EA			
ATF-1" Rod	1" x 18" RH/LH Thread Rod	\$	EA			
ATF-1" WSH	Washer for ATF-1"	\$	EA			
CSTB-1" Closed Body	CSTB 1" CB Body Turnbuckle ONLY	\$	EA			
CSTB-1" Open Body	CSTB 1" Open Body Turnbuckle ONLY	\$	EA			
CSTB-3/4" Open Body	CSTB 3/4" Open Body Turnbuckle ONLY	\$	EA			
CSTB-1" Rod	13" x 1" Rod-Advise Thread Needed-RH/RH or RH/LH	\$	EA			
CSTB-3/4" Rod	13" x 3/4" Rod-Advise Thread Needed - RH/RH or RH/LH	\$	EA			
CSTB-1" CB	CSTB 1" complete with CLOSED Body	\$	EA			
Acorn Nut 1"	1" Hex Nut for T1" Hex Nut for Threaded Rod	\$	EA			
Acorn Nut 3/4"	NUT- 3/4" HDG	\$	EA			
J-BLT WASHER	3/4" FLAT WASHER	\$	EA			
J-BLT NUT	NUT- 3/4" HDG	\$	EA			
	POSTS					
3-BPP-33	Base Plate Post / Surface Mount (33")	\$	EA			
4-BPP-42	Base Plate Post / Surface Mount (42")	\$	EA			
BPP-72	Base Plate Post / Low Fill (72")	\$	EA			
	ANCHOR POST REPAIR					
AP-B	PLATE 1/2" X 10" X 11"	\$	EA			
AP-C	PLATE 1/2" X 2 1/4" X 4"	\$	EA			
AP-D	PLATE 1 1/4" X 2 1/4" X 4" Block with drilled holes	\$	EA			
AP-E	PLATE 1/2" X 1 3/4" X 2"	\$	EA			
AP-F	PLATE 3/4" X 1 1/4" X 8"	\$	EA			
	TUBE D WITH SOIL PLATES	1				
TUBE-D-SP	42" Driven Socket with 8"x 24" Soil Plate	\$	EA			
TUBE-D-SP-30	30" Driven Socket with 12" x 24" Soil Plate when driving in rock	\$	EA			
TUBE-D-SP-60	60" Driven Socket with 12" x 48" Soil Plate	\$	EA			
TUBE-D-2SP-60	60" Driven Socket with 2 soil plates 12" x 48" & 6" x 48"	\$	EA			
TUBE-D-SP-72	72" Driven Socket with 12" x 48" Soil Plate	\$	EA			
TUBE-D-54SP-72	72" Driven Socket with 12" x 54" Soil Plate  SWEDGED SYSTEM PART		EA			
RH STUD ATF ASSY	RH 1" STUD FOR SWAGING WITH WASHER AND NUT	\$	EA			
RH STUD MILLED ASSY	RH 1" MILLED STUD FOR SWAGING WITH WASHER AND NUT FOR 3/4" AP	\$	EA			
RH/LH SWAGE ASSY	CLOSED BODY CSTB FOR SWAGING	\$	EA			
STUD LH	Stud for swaging - Left Hand Overall length 17.51"	\$	EA			
STUD RH	Stud for swaging - Right Hand Overall length 17.51"	\$	EA			
WEDGE LOCK	Cable End Wedge Fitting - 13"x1" RH/RH Rod and Acorn with Nuts	\$	EA			
	OTHER ITEMS	1 .				
Cable Grip	Cable Grip - Parallell Jaw Grips - 7500 lbs U shaped with grooves	\$	EA			
Cable Grip 10,000	Cable Grip - Parallell Jaw Grips - 10,000 lbs V shaped	\$	EA			
Chain Hoist 3T	3T on Chain Hoist	\$	EA			
Chain Hoist 6T	6T on Chain Hoist	\$	EA			
Infrared Therm	Infrared Thermometer - (0 to 750 F)	\$	EA			
Infrared Them-WR	Infrared Thermometer - Wide Range - (-76 to 932 F)	\$	EA			
TRAINING	Installation and Repair Training *[ See Note 3]			CALL FOR DET	AILS	
NOTES:				PARTS TOTAL		
				NG & HANDLING		
				ORDER TOTAL		